TITLE: JOURNAL OF EXPERIMENTAL MEDICINE

REEL NO: 14

VOLUME: 55-58

DATE: JANUARY 1932 - DECEMBER 1933

PUBLICATION NO: 12,247

NOTES: INCLUDES INDEXES AND SUPPLEMENTS
BEST COPY AVAILABLE FOR PHOTOGRAPHY,
FRONT AND BACK COVERS MISSING
AND POOR PRINT THROUGHOUT.

THIS PERIODICAL MAY BE COPYRIGHTED, IN WHICH CASE THE CONTENTS REMAIN THE PROPERTY OF THE COPYRIGHT OWNER. THE MICROFORM EDITION IS REPRODUCED BY AGREEMENT WITH THE PUBLISHER. DUPLICATION OR RESALE WITHOUT PERMISSION IS PROHIBITED.

UNIVERSITY MICROFILMS INTERNATIONAL, ANN ARBOR, MICHIGAN

INDEX TO AUTHORS

ALLOWAY, J. LIONEL. The transformation *in vitro* of R pneumococci into S forms of different specific types by the use of filtered pneumococcus extracts, 91

AVERY, OSWALD T., GOEBEL, WALTHER F., and BABERS, FRANK H. Chemoimmunological studies on conjugated carbohydrate-proteins. VII. Immunological specificity of antigens prepared by combining α- and β-glucosides of glucose with proteins, 769

—. See GOEBEL, BABERS, and AVERY, 761

—. See GOODNER, DUBOS, and AVERY, 393

BABERS, FRANK H. See AVERY, GOEBEL, and BABERS, 769

—. See GOEBEL, BABERS, and AVERY, 761

BARNETT, C. W., JONES, R. B., and COHN, R. B. The maintenance of a normal plasma protein concentration in spite of repeated protein loss by bleeding, 683

BARRON, E. S. GUZMAN. Comparison of the reducing power of some typical transplantable tumors and of tumors produced by filtrable viruses. With an appendix on the metabolism of infectious myxoma of the rabbit, 829

BARUCH, HERMAN B. See CURPHEY and BARUCH, 925

BLAIR, JOHN E. See JAFFE, BODANSKY, and BLAIR, 139, 695

BODANSKY, AARON. See JAFFE, BODANSKY, and BLAIR, 139, 695

BOGNIARD, ROBERT P., and WHIPPLE, GEORGE H. V. The iron content of blood-free tissues and viscera. Variations due to diet, anemia, and hemoglobin injections, 653

BOTSFORD, ELIZABETH. See ROUS and BOTSFORD, 247

BREEDIS, CHARLES. See FURTH, 465, 495

—. See FURTH and MILLER, 479

CANNON, PAUL R., SULLIVAN, F. L., and NECKERMANN, E. F. Conditions influencing the disappearance of living bacteria from the blood stream, 121

CASTANEDA, M. RUIZ. See MOOSER and CASTANEDA, 307

CHEW, WILLIAM B. See METTIER and CHEW, 971

CLOW, A. D. See WEBSTER and CLOW, 445

COHN, R. B. See BARNETT, JONES, and COHN, 683

COOPER, GEORGIA, ROSENSTEIN, CAROLYN, WALTER, ANNABEL, and PEIZER, LENORE. The further separation of types among the pneumococci hitherto included in Group IV and the development of therapeutic antisera for these types, 531

CURPHEY, THEODORE J., and BARUCH, HERMAN B. The therapeutic value of intramuscular dosage of Type I pneumococcus antisera, 925

DAVIDOFF, LEO M., SEEGAL, BEATRICE CARRIER, and SEEGAL, DAVID. The Arthus phenomenon. Local anaphylactic inflammation in the rabbit brain, 163

DAWES, CAROLINE F. See KNEELAND and DAWES, 735

DUBOS, RENÉ. Factors affecting the yield of specific enzyme in cultures of the bacillus decomposing the capsular polysaccharide of Type III pneumococcus, 377

—. See GOODNER, DUBOS, and AVERY, 393

DURAN-REYNALS, F. The effect of antitesticular serum on the enhancement value of testicle extract, 703

EAGLE, HARRY. Studies in the serology of syphilis. VI. The induction of antibodies to tissue lipoids (a positive Wassermann reaction) in normal rabbits, 667

ENDERS, JOHN F. A note on the specific agglutination of Pneumococcus Types I, II, and III, 191

FINLAND, MAXWELL. Immunological reactions of pneumonic pleural fluids, 169

— and SUTLIFF, W. D. Specific antibody response of human subjects to intracutaneous injection of pneumococcus products, 853

—. See SUTLIFF and FINLAND, 837

FLEISHER, MOYER S. See JONES and FLEISHER, 79

FRANCIS, THOMAS, JR. The identity of the mechanisms of type-specific agglutinin and precipitin reactions with pneumococcus, 55

FREUND, JULES. Toxin-antitoxin reaction without neutralization, 181

FURTH, J. Studies on the nature of the agent transmitting leucosis of fowls. I. Its concentration in blood cells and plasma and relation to the incubation period, 465

—. Studies on the nature of the agent transmitting leucosis of fowls. III. Resistance to desiccation, to glycerol, to freezing and thawing; survival at ice box and incubator temperatures, 495

— and MILLER, H. K. Studies on the nature of the agent transmitting leucosis of fowls. II. Filtration of leucemic plasma, 479

GATES, FREDERICK L. See STURM, GATES, and MURPHY, 441

GOEBEL, WALTHER F., BABERS, FRANK H., and AVERY, OSWALD T. Chemoimmunological studies on conjugated carbohydrate-proteins. VI. The synthesis of *p*-aminophenol α-glucoside and its coupling with protein, 761

—. See AVERY, GOEBEL, and BABERS, 769

GOODNER, KENNETH, DUBOS, RENÉ, and AVERY, OSWALD T. The action of a specific enzyme upon the dermal infection of rabbits with Type III pneumococcus, 393

HANZAL, RAMON F. See KARSNER, STRAUS, MOORE, and HANZAL, 27

HARTMAN, FRANK A., and SCOTT, W. J. MERLE. Protection of adrenalectomized animals against bacterial intoxication by an extract of the adrenal cortex, 63

HARVEY, SAMUEL C. See HOWES and HARVEY, 577

HAVILL, WILLIAM H., LICHTY, JOHN A., JR., TAYLOR, GORDON B., and WHIPPLE, GEORGE H. II. Renal threshold for hemoglobin in dogs uninfluenced by mercury poisoning, 617

—, —, and WHIPPLE, GEORGE H. III. Tolerance for mercury poisoning increased by frequent hemoglobin injections, 627

—. See LICHTY, HAVILL, and WHIPPLE, 603

HEIDELBERGER, MICHAEL, and KENDALL, FORREST E. Quantitative studies on the precipitin reaction. The determination of small amounts of a specific polysaccharide, 555

HILLER, ALMA. See SENDROY, HILLER, and VAN SLYKE, 361

HOWES, EDWARD L., and HARVEY, SAMUEL C. The age factor in the velocity of the growth of fibroblasts in the healing wound, 577

HUDACK, STEPHEN, and MCMASTER, PHILIP D. The gradient of permeability of the skin vessels as influenced by heat, cold, and light, 431

—. See MCMASTER and HUDACK, 417

—. See MCMASTER, HUDACK, and ROUS, 203

HUDSON, N. PAUL, and MARKHAM, FLOYD S. Brain to brain transmission of the submaxillary gland virus in young guinea pigs, 405

HUGHES, T. P. See PRITCHETT and HUGHES, 71

JAFFE, HENRY L., BODANSKY, AARON, and BLAIR, JOHN E. The effects of parathormone and ammonium chloride on the bones of rabbits, 695

JAFFE, HENRY L., BODANSKY, AARON, and BLAIR, JOHN E. The influence of age and of duration of treatment on the production and repair of bone lesions in experimental hyperparathyroidism, 139

JOHNSON, CARL E., and WIES, CARL H. Influence of ligation of pancreatic ducts of dogs upon serum amylase concentration, 505

JONES, F. S., LITTLE, RALPH B., and ORCUTT, MARION. Vibrios from the intestinal tract of the gray rat, 939

JONES, LLOYD, and FLEISHER, MOYER S. Serum sickness in rabbits. II. Precipitinogen and precipitins in relation to appearance of the reaction, 79

JONES, R. B. See BARNETT, JONES, and COHN, 683

JOST, ELIZABETH L. See SEEGAL, SEEGAL, and JOST, 155

JULIANELLE, L. A., and MORRIS, M. C. Reactions of rabbits to intracutaneous injections of pneumococci and their products. VIII. The interrelationships of hypersensitiveness to pneumococcus and streptococcus, 867

— and RHOADS, C. P. Reactions of rabbits to intracutaneous injections of pneumococci and their products. VII. The relation of hypersensitiveness to lesions in the lungs of rabbits infected with pneumococci, 797

KARSNER, HOWARD T., STRAUS, RUBEN, MOORE, ROBERT A., and HANZAL, RAMON F. Urea tolerance after unilateral nephrectomy in rabbits, 27

KELLEY, WILLIAM H. The antipneumococcus properties of normal swine serum, 877

KENDALL, FORREST E. See HEIDELBERGER and KENDALL, 555

KITCHEN, S. F. See SAWYER, KITCHEN, and LLOYD, 945

KLINGELHOFER, RUTH. See FURTH, 465

KNEELAND, YALE, JR., and DAWES, CAROLINE F. Studies on the common cold. V. The relationship of pathogenic bacteria to upper respiratory disease in infants, 735

KNUTTI, RALPH E. See OLITSKY, KNUTTI, and TYLER, 803

LANDSTEINER, K., and VAN DER SCHEER, J. On the serological specificity of peptides, 781

—. See NIGG and LANDSTEINER, 563

LICHTY, JOHN A., JR., HAVILL, WILLIAM H., and WHIPPLE, GEORGE H. I. Renal thresholds for hemoglobin in dogs. Depression of threshold due to frequent hemoglobin injections and recovery during rest periods, 603

—. See HAVILL, LICHTY, TAYLOR, and WHIPPLE, 617

—. See HAVILL, LICHTY, and WHIPPLE, 627

LITTLE, RALPH B. See JONES, LITTLE, and ORCUTT, 939

LLOYD, WRAY. See SAWYER, KITCHEN, and LLOYD, 945

LURIE, MAX B. The correlation between the histological changes and the fate of living tubercle bacilli in the organs of tuberculous rabbits, 31

MACKAY, EATON M. See SMITH and MACKAY, 903

MARKHAM, FLOYD S. See HUDSON and MARKHAM, 405

MARMORSTON-GOTTESMAN, J., and PERLA, DAVID. The effect of bilateral suprarenalectomy in adult albino rats on the natural and acquired resistance to *Bartonella muris* anemia, 109

MCEWEN, CURRIER. Cytologic studies on rheumatic fever. I. The characteristic cell of the rheumatic granuloma, 745

MCMASTER, PHILIP D., and HUDACK, STEPHEN. The vessels involved in hydrostatic transudation, 417

—, —, and ROUS, PEYTON. The relation of hydrostatic pressure to the gradient of capillary permeability, 203

—. See HUDACK and MCMASTER, 431

MENKIN, VALY. The accumulation of iron in tuberculous areas. II. Survival time of tuberculous rabbits injected with ferric chloride, 101

METTIER, STACY R., and CHEW, WILLIAM B. The anemia of scurvy. Effect of vitamin C diet on blood formation in experimental scurvy of guinea pigs, 971

MILLER, H. K. See FURTH and MILLER, 479

MOORE, ROBERT A. See KARSNER, STRAUS, MOORE, and HANZAL, 27

MOOSER, H., and CASTANEDA, M. RUIZ. The multiplication of the virus of Mexican typhus fever in fleas, 307

MORRIS, M. C. See JULIANELLE and MORRIS, 867

MURPHY, JAMES B. See STURM, GATES, and MURPHY, 441

NECKERMANN, E. F. See CANNON, SULLIVAN, and NECKERMANN, 121

NEWMAN, WILLIAM V., and WHIPPLE, GEORGE H. IV. Hemoglobin injections and conservation of pigment by kidney, liver, and spleen. The influence of diet and bleeding, 637

NIGG, CLARA, and LANDSTEINER, K. Studies on the cultivation of the typhus fever rickettsia in the presence of live tissue, 563

OLITSKY, PETER K., KNUTTI, RALPH E., and TYLER, JOSEPH R. Corneal reactions to *Bacterium granulosis* and other microorganisms, 803

OLIVER, JEAN. Experimental nephritis in the frog. IV. The significance of the functional response to vascular and to parenchymal disturbances in the kidney, 295

ORCUTT, MARION. See JONES, LITTLE, and ORCUTT, 939

PARKER, RAYMOND C. The races that constitute the group of common fibroblasts. I. The effect of blood plasma, 713

PEIZER, LENORE. See COOPER, ROSENSTEIN, WALTER, and PEIZER, 531

PERLA, DAVID. See MARMORSTON-GOTTESMAN and PERLA, 109

PRITCHETT, I. W., and HUGHES, T. P. The epidemiology of fowl cholera. VI. The spread of epidemic and endemic strains of *Pasteurella avicida* in laboratory populations of normal fowl, 71

QUIGLEY, JAMES J. See WADSWORTH, QUIGLEY, and SICKLES, 815

RHOADS, C. P. See JULIANELLE and RHOADS, 797

RIVERS, THOMAS M., and SCHWENTKER, FRANCIS F. A virus disease of parrots and parrakeets differing from psittacosis, 911

ROSENSTEIN, CAROLYN. See COOPER, ROSENSTEIN, WALTER, and PEIZER, 531

ROSS, VICTOR. The fate of orally administered soluble specific substance of Pneumococcus Types I, II, and III, 13

—. The rôle of the soluble specific substance in oral immunization against Pneumococcus Types II and III, 1

ROUS, PEYTON, and BOTSFORD, ELIZABETH. The incidence of cancer in tarred and sheltered mice, 247

—. See MCMASTER, HUDACK, and ROUS, 203

SANTESSON, LARS. On the nutritional requirements *in vitro* of normal and malignant mouse epitheliums, 281

SAWYER, W. A., KITCHEN, S. F., and LLOYD, WRAY. Vaccination against yellow fever with immune serum and virus fixed for mice, 945

SCHULTZ, M. P., and SWIFT, HOMER F. Reaction of rabbits to streptococci: comparative sensitizing effect of intracutaneous and intravenous inocula in minute doses, 591

SCHWENTKER, FRANCIS F. See RIVERS and SCHWENTKER, 911

SCOTT, W. J. MERLE. See HARTMAN and SCOTT, 63

SEEGAL, BEATRICE CARRIER. See DAVIDOFF, SEEGAL, and SEEGAL, 163

—. See SEEGAL, SEEGAL, and JOST, 155

SEEGAL, DAVID, SEEGAL, BEATRICE CARRIER, and JOST, ELIZABETH L. The Arthus phenomenon. Local anaphylactic inflammation in the rabbit pericardium, heart, and aorta, 155

—. See DAVIDOFF, SEEGAL, and SEEGAL, 163

SENDROY, JULIUS, JR., HILLER, ALMA, and VAN SLYKE, DONALD D. Determination of lung volume by respiration of oxygen without forced breathing, 361

SHWARTZMAN, GREGORY. Spontaneous and acquired active immunity to the phenomenon of local skin reactivity to bacterial filtrates, 889

SICKLES, GRETCHEN R. See WADSWORTH, QUIGLEY, and SICKLES, 815

SMITH, FRANCIS M., and MACKAY, EATON M. The relation of heart weight to the basal metabolism as varied by thyroid administration, 903

STRAUS, RUBEN. See KARSNER, STRAUS, MOORE, and HANZAL, 27

STURM, ERNEST, GATES, FREDERICK L., and MURPHY, JAMES B. Properties of the causative agent of a chicken tumor. II. The inactivation of the tumor-producing agent by monochromatic ultraviolet light, 441

SULLIVAN, F. L. See CANNON, SULLIVAN, and NECKERMANN, 121

SUTLIFF, W. D., and FINLAND, MAXWELL. Antipneumococcic immunity reactions in individuals of different ages, 837

—. See FINLAND and SUTLIFF, 853

SWIFT, HOMER F. See SCHULTZ and SWIFT, 591

TANZER, RADFORD C. The effect of testicle extract on the growth of transplantable mouse tumors, 455

TAYLOR, CLARA B. See FURTH, 495

TAYLOR, GORDON B. See HAVILL, LICHTY, TAYLOR, and WHIPPLE, 617

TODD, E. W. Antigenic streptococcal hemolysin, 267

TYLER, JOSEPH R. See OLITSKY, KNUTTI, and TYLER, 803

VAN DER SCHEER, J. See LANDSTEINER and VAN DER SCHEER, 781

VAN SLYKE, DONALD D. See SENDROY, HILLER, and VAN SLYKE, 361

WADSWORTH, AUGUSTUS, QUIGLEY, JAMES J., and SICKLES, GRETCHEN R. The purification and concentration of diphtheria toxoid, 815

WALTER, ANNABEL. See COOPER, ROSENSTEIN, WALTER, and PEIZER, 531

WARD, HUGH K. An examination of the mechanism of pneumococcus immunity by means of bactericidal measurements. I. The reaction between the anticarbohydrate antibody and the purified specific carbohydrate, 511

—. II. The reaction between the anticarbohydrate antibody and type-specific products of the organism, 519

— and WRIGHT, JOYCE. Studies on influenzal meningitis. I. The problems of specific therapy, 223

—. See WRIGHT and WARD, 235

WEBSTER, L. T., and CLOW, A. D. The association of pneumococci, *Haemophilus influenzae*, and *Streptococcus haemolyticus* with coryza, pharyngitis, and sinusitis in man, 445

WHIPPLE, GEORGE H. See BOGNIARD and WHIPPLE, 653

—. See HAVILL, LICHTY, TAYLOR, and WHIPPLE, 617

—. See HAVILL, LICHTY, and WHIPPLE, 627

—. See LICHTY, HAVILL, and WHIPPLE, 603

—. See NEWMAN and WHIPPLE, 637

WIES, CARL H. See JOHNSON and WIES, 505

WRIGHT, JOYCE, and WARD, HUGH K. Studies on influenzal meningitis. II. *Bacillus influenzae*—the problem of virulence and resistance, 235

—. See WARD and WRIGHT, 223

ZOZAYA, JOSÉ. Carbohydrates adsorbed on colloids as antigens, 325

—. Immunological reactions between dextran polysaccharide and some bacterial antisera, 353

INDEX TO SUBJECTS

ADRENAL cortex extract, protection against bacterial intoxication after adrenalectomy, 63
Adrenalectomized rats, protection against bacterial intoxication by extract of adrenal cortex, 63
Age and duration of treatment, influence on production and repair of bone lesions in hyperparathyroidism, 139
— factor in velocity of growth of fibroblasts in healing wound, 577
— of individuals, variations in antipneumococcic reactions due to, 837
Agglutination, specific, of Pneumococcus Type I, 191
—, —, — — Type II, 191
—, —, — — Type III, 191
Agglutinin and precipitin reactions, type-specific, pneumococcus, identity of mechanisms, 55
p-Aminophenol α-glucoside, synthesis, and coupling with protein, 761
Ammonium chloride and parathormone, effects on bones, 695
Amylase, serum, concentration, influence of ligation of pancreatic ducts, 505
Anaphylactic inflammation, local, in aorta, 155
— —, —, — brain, 163
— —, —, — heart, 155
— —, —, — pericardium, 155
Anemia, *Bartonella muris*, effect of bilateral suprarenalectomy on acquired resistance, 109
—, — —, — of bilateral suprarenalectomy on natural resistance, 109
Anemia, cause of variations in iron content of blood-free tissues, 653
—, — — — in iron content of blood-free viscera, 653
— of scurvy, 971
Antibodies to tissue lipoids, induced in normal rabbits, 667
Antibody, anticarbohydrate, and purified specific carbohydrate of pneumococcus, reaction between, 511
—, —, — type-specific products of pneumococcus, reaction between, 519
— response, specific, of human subjects to intracutaneous injection of pneumococcus products, 853
Anticarbohydrate antibody and purified specific carbohydrate of pneumococcus, reaction between, 511
— — — type-specific products of pneumococcus, reaction between, 519
Antigenic streptococcal hemolysin, 267
Antigens, carbohydrates adsorbed on colloids, as, 325
— prepared by combining α-glucoside of glucose with proteins, immunological specificity, 769
— — — — β-glucoside of glucose with proteins, immunological specificity, 769
Antipneumococcic immunity reactions in individuals of different ages, 837
Antipneumococcus properties of normal swine serum, 877

Antisera, bacterial, and dextran polysaccharide, immunological reactions between, 353
—, therapeutic, against types of pneumococci formerly included in Group IV, 531
—, Type I pneumococcus, therapeutic value of intramuscular dosage, 925
Antitesticular serum, effect on enhancement value of testicle extract, 703
Antitoxin-toxin reaction without neutralization, 181
Aorta, local anaphylactic inflammation, 155
Arthus phenomenon, 155, 163

BACILLUS decomposing capsular polysaccharide of Type III pneumococcus, factors affecting yield of specific enzyme in cultures, 377
— *influenzae* from influenzal meningitis, virulence and resistance, 235
— *tuberculosis*, living, fate in organs of tuberculous rabbits, correlation with histological changes, 31
Bacteria, living, conditions influencing disappearance from blood stream, 121
—, pathogenic, and upper respiratory disease in infants, relationship, 735
Bacterial antisera and dextran polysaccharide, immunological reactions between, 353
— filtrates, acquired active immunity to local skin reactivity, 889
— —, spontaneous immunity to local skin reactivity, 889
— intoxication, protection after adrenalectomy, by extract of adrenal cortex, 63
Bactericidal measurements, means of examining mechanism of pneumococcus immunity, 511, 519
Bacterium granulosis, corneal reactions, 803
Bartonella muris anemia, effect of bilateral suprarenalectomy on acquired resistance, 109
— — —, — of bilateral suprarenalectomy on natural resistance, 109
Basal metabolism as varied by thyroid administration, relation of heart weight, 903
Bleeding, influence on conservation of pigment by kidney, liver, and spleen after hemoglobin injections, 637
—, normal plasma protein concentration maintained in spite of repeated protein loss by, 683
Blood cells, concentration of transmitting agent of fowl leucosis, and relation to incubation period, 465
— formation in scurvy, effect of vitamin C diet, 971
— plasma. *See* Plasma.
— stream, conditions influencing disappearance of living bacteria from, 121
— vessel, kidney, significance of functional response to vascular disturbance, 295
— —, relation of hydrostatic pressure to gradient of capillary permeability, 203
— vessels involved in hydrostatic transudation, 417
— — of skin, gradient of permeability as influenced by cold, 431
— — — —, gradient of permeability as influenced by heat, 431
— — — —, gradient of permeability as influenced by light, 431
Blood-free tissues, iron content, 653
— viscera, iron content, 653
Bone lesions, influence of age and duration of treatment on production and repair in hyperparathyroidism, 139

Bones, effects of ammonium chloride and parathormone, 695
—, — — parathormone, 695
Brain, local anaphylactic inflammation, 163
— to brain transmission of submaxillary gland virus in young guinea pigs, 405

CANCER. *See* Carcinoma.

Capillary permeability, gradient, relation of hydrostatic pressure, 203
Carbohydrate, specific, purified, of pneumococcus, and anticarbohydrate antibody, reaction between, 511
Carbohydrate-proteins, conjugated, chemoimmunological studies, 761, 769
Carbohydrates adsorbed on colloids as antigens, 325
Carcinoma, incidence in tarred and sheltered mice, 247
Cell, characteristic of rheumatic granuloma, 745
Cells, blood, concentration of transmitting agent of fowl leucosis, and relation to incubation period, 465
Chemoimmunological studies on conjugated carbohydrate-proteins, 761, 769
Cholera, fowl, epidemiology, 71
Cold, influence on gradient of permeability of skin vessels, 431
Colloids, carbohydrates adsorbed on, as antigens, 325
Corneal reactions to *Bacterium granulosis* and other microorganisms, 803
Cortex, adrenal, extract, protection against bacterial intoxication after adrenalectomy, 63
Coryza, 735
Coryza in man, association with pneumococci, *Haemophilus influenzae*, and *Streptococcus haemolyticus*, 445
Cultivation, typhus fever rickettsia, in presence of living tissue, 563
Cytology, rheumatic fever, 745

DESICCATION, agent transmitting fowl leucosis, resistance to, 495
Dextran polysaccharide, immunological reactions between bacterial antisera and, 353
Diet, cause of variations in iron content of blood-free tissues, 653
—, — — — in iron content of blood-free viscera, 653
—, influence on conservation of pigment by kidney, liver, and spleen after hemoglobin injections, 637
—, vitamin C, effect on blood formation in scurvy, 971
Diphtheria toxoid, purification and concentration, 815
Ducts, pancreatic, ligation, influence upon serum amylase concentration, 505

ENDEMIC *Pasteurella avicida* strains, spread in laboratory populations of normal fowl, 71
Enzyme, specific, action upon dermal infection with Type III pneumococcus, 393
—, —, in cultures of bacillus decomposing capsular polysaccharide of Type III pneumococcus, factors affecting yield, 377
Epidemic *Pasteurella avicida* strains, spread in laboratory populations of normal fowl, 71
Epidemiology, fowl cholera, 71
Epitheliums, malignant, mouse, nutritional requirements *in vitro*, 281

Epitheliums, normal, mouse, nutritional requirements *in vitro*, 281
Extract, adrenal cortex, protection against bacterial intoxication after adrenalectomy, 63
—, testicle, effect of antitesticular serum on enhancement value, 703
—, —, — on growth of transplantable mouse tumors, 455
Extracts, pneumococcus, filtered, used in transformation *in vitro* of R pneumococci into S forms of different specific types, 91

FERRIC chloride, survival time of tuberculous rabbits injected with, 101
Fever, rheumatic. *See* Rheumatic fever.
—, typhus. *See* Typhus.
—, yellow. *See* Yellow fever.
Fibroblasts, age factor in velocity of growth in healing wound, 577
—, common, races constituting, 713
Filtrable viruses, tumors produced by, and typical transplantable tumors, comparison of reducing power, 829
Filtrates, bacterial, acquired active immunity to local skin reactivity, 889
—, —, spontaneous immunity to local skin reactivity, 889
Filtration, leucemic plasma, 479
Fleas, multiplication of virus of Mexican typhus fever, 307
Fowl cholera. *See* Cholera.
— leucosis, nature of transmitting agent, 465, 479, 495
— —, resistance of transmitting agent to dessication, 495
— —, — — transmitting agent to freezing and thawing, 495
— —, — — transmitting agent to glycerol, 495
Fowl leucosis, survival of transmitting agent at ice box temperature, 495
— —, — — transmitting agent at incubator temperature, 495
—, normal, spread of endemic strains of *Pasteurella avicida* in laboratory populations, 71
—, —, — — epidemic strains of *Pasteurella avicida* in laboratory populations, 71
—, tumor, properties of causative agent, 441
Freezing and thawing, agent transmitting fowl leucosis, resistance to, 495

GLAND, submaxillary, virus, brain to brain transmission in young guinea pigs, 405
Glucose, α-glucoside, combined with proteins, immunological specificity, 769
—, β-glucoside, combined with proteins, immunological specificity, 769
α-Glucoside, *p*-aminophenol, synthesis and coupling with protein, 761
—, glucose, combined with proteins, immunological specificity, 769
β-Glucoside, glucose, combined with proteins, immunological specificity, 769
Glycerol, agent transmitting fowl leucosis, resistance to, 495
Granuloma, rheumatic, characteristic cell, 745

HAEMOPHILUS *influenzae*, association with coryza, pharyngitis, and sinusitis in man, 445
Heart, local anaphylactic inflammation, 155
— weight, relation to basal metabolism as varied by thyroid administration, 903

Heat, influence on gradient of permeability of skin vessels, 431
Hemoglobin, frequent injections as means of increasing tolerance for mercury poisoning, 627
— injections, cause of variations in iron content of blood-free tissues, 653
— —, — — variations in iron content of blood-free viscera, 653
— — and conservation of pigment by kidney, liver, and spleen, 637
—, renal threshold depressed by frequent injections, and recovery during rest periods, 603
—, — — in dogs uninfluenced by mercury poisoning, 617
—, — thresholds, 603
Hemolysin, antigenic streptococcal, 267
Hemophilus influenzae. See Haemophilus influenzae.
Histological changes and fate of living tubercle bacilli in organs in tuberculosis, correlation, 31
Hydrostatic pressure, relation to gradient of capillary permeability, 203
— transudation, blood vessels involved, 417
Hyperparathyroidism, influence of age and duration of treatment on production and repair of bone lesions, 139
Hypersensitiveness and lesions in lungs, relation in pneumococcus infection, 797
— to pneumococcus and streptococcus, interrelationships, 867

IMMUNE serum and virus fixed for mice, vaccination against yellow fever, 945
Immunity, acquired active, to phenomenon of local skin reactivity to bacterial filtrates, 889
Immunity, pneumococcus, mechanism examined by means of bactericidal measurements, 511, 519
— reactions, antipneumococcic, in individuals of different ages, 837
—, spontaneous, to phenomenon of local skin reactivity to bacterial filtrates, 889
Immunization, oral, against Pneumococcus Type II, rôle of soluble specific substance, 1
—, —, — — Type III, rôle of soluble specific substance, 1
Immunological reactions between dextran polysaccharide and bacterial antisera, 353
— — of pneumonic pleural fluids, 169
— specificity of antigens prepared by combining α-glucoside of glucose with proteins, 769
— — — — prepared by combining β-glucoside of glucose with proteins, 769
Infants, upper respiratory disease, relationship of pathogenic bacteria, 735
Inflammation, anaphylactic, local, in aorta, 155
—, —, —, — brain, 163
—, —, —, — heart, 155
—, —, —, — pericardium, 155
Influenzal meningitis, 223, 235
Intestinal tract of gray rat, vibrios from, 939
Intoxication, bacterial, protection against, after adrenalectomy, by extract of adrenal cortex, 63
In vitro nutritional requirements of malignant mouse epitheliums, 281
— — — — of normal mouse epitheliums, 281
— —, pneumococci, transformation of R into S forms of different specific types by use of filtered pneumococcus extracts, 91

Iron, accumulation in tuberculous areas, 101
— content of blood-free tissues, variations due to anemia, 653
— — — — — tissues, variations due to diet, 653
— — — — — tissues, variations due to hemoglobin injections, 653
— — — — — tissues and viscera, 653
— — — — — viscera, variations due to anemia, 653
— — — — — viscera, variations due to diet, 653
— — — — — viscera, variations due to hemoglobin injections, 653

KIDNEY, conservation of pigment after hemoglobin injections, 637
—, significance of functional response to parenchymal disturbance, 295
—, — — — response to vascular disturbance, 295
— threshold for hemoglobin in dogs uninfluenced by mercury poisoning, 617
— thresholds for hemoglobin, 603

LEUCEMIC plasma, filtration, 479
Leucosis, fowl, nature of transmitting agent, 465, 479, 495
—, —, resistance of transmitting agent to dessication, 495
—, —, — — transmitting agent to freezing and thawing, 495
—, —, — — transmitting agent to glycerol, 495
—, —, survival of transmitting agent at ice box temperature, 495
—, —, — — transmitting agent at incubator temperature, 495
Ligation of pancreatic ducts, influence upon serum amylase concentration, 505
Light, influence on gradient of permeability of skin vessels, 431
—, ultraviolet, monochromatic, inactivating tumor-producing agent, 441
Lipoids, tissue, antibodies to, induced in normal rabbits, 667
Liver, conservation of pigment after hemoglobin injections, 637
Lung lesions and hypersensitiveness, relation in pneumococcus infection, 797
— volume, determination by respiration of oxygen without forced breathing, 361

MALIGNANT mouse epitheliums, nutritional requirements *in vitro*, 281
Meningitis, influenzal, 223, 235
Mercury poisoning, renal threshold for hemoglobin in dogs uninfluenced by, 617
— —, tolerance increased by frequent hemoglobin injections, 627
Metabolism, basal, as varied by thyroid administration, relation of heart weight, 903
—, infectious myxoma of rabbit, 829
Microorganisms, corneal reactions, 803
Myxoma, infectious, of rabbit, metabolism, 829

NEPHRECTOMY, unilateral, urea tolerance, 27
Nephritis in frog, 295
Nutritional requirements *in vitro* of malignant mouse epitheliums, 281
— — — — — of normal mouse epitheliums, 281

OXYGEN, respiration without forced breathing as means of determination of lung volume, 361

PANCREATIC ducts, ligation, influence upon serum amylase concentration, 505
Parathormone, effects on bones, 695
Parrakeets, virus disease differing from psittacosis, 911
Parrots, virus disease differing from psittacosis, 911
Pasteurella avicida, endemic strains, spread in laboratory populations of normal fowl, 71
— —, epidemic strains, spread in laboratory populations of normal fowl, 71
Pathogenic bacteria and upper respiratory disease in infants, relationship, 735
Peptides, serological specificity, 781
Pericardium, local anaphylactic inflammation, 155
Pharyngitis in man, association with pneumococci, *Haemophilus influenzae*, and *Streptococcus haemolyticus*, 445
Plasma, concentration of transmitting agent of fowl leucosis, and relation to incubation period, 465
—, effect on races constituting common fibroblasts, 713
—, leucemic, filtration, 479
— protein concentration, normal, maintained in spite of repeated protein loss by bleeding, 683
Pleural fluids, pneumonic, immunological reactions, 169
Pneumococci, association with coryza, pharyngitis, and sinusitis in man, 445
—, Group IV, further separation of types, and development of therapeutic antisera for these types, 531
— and their products, reactions to intracutaneous injections, 797, 867
Pneumococci, transformation *in vitro* of R into S forms of different specific types by use of filtered pneumococcus extracts, 91
Pneumococcus extracts, filtered, used in transformation *in vitro* of R pneumococci into S forms of different specific types, 91
— immunity, mechanism, examined by means of bactericidal measurements, 511, 519
— infection, relation of hypersensitiveness to lesions in lungs, 797
— products, specific antibody response of human subjects to intracutaneous injection, 853
— and streptococcus, hypersensitiveness, interrelationships, 867
— Type I antisera, therapeutic value of intramuscular dosage, 925
— — —, soluble specific substance, orally administered, fate, 13
— — —, specific agglutination, 191
— — II, rôle of soluble specific substance in oral immunization, 1
— — —, soluble specific substance, orally administered, fate, 13
— — —, specific agglutination, 191
— — III, capsular polysaccharide, factors affecting yield of specific enzyme in cultures of bacillus decomposing, 377
— — —, dermal infection, action of specific enzyme, 393
— — —, rôle of soluble specific substance in oral immunization, 1
— — —, soluble specific substance, orally administered, fate, 13
— — —, specific agglutination, 191
—, type-specific agglutinin and precipitin reactions, identity of mechanisms, 55

Pneumococcus, type-specific precipitin and agglutinin reactions, identity of mechanisms, 55
—, — products, reaction with anti-carbohydrate antibody, 519
Pneumonic pleural fluids, immunological reactions, 169
Poisoning, mercury, renal threshold for hemoglobin in dogs uninfluenced by, 617
—, —, tolerance increased by frequent hemoglobin injections, 627
Polysaccharide, capsular, of Type III pneumococcus, factors affecting yield of specific enzyme in cultures of bacillus decomposing, 377
—, dextran, immunological reactions between bacterial antisera and, 353
—, specific, of pneumococcus, small amounts determined by precipitin reaction, 555
Precipitin and agglutinin reactions, type-specific, pneumococcus, identity of mechanisms, 55
— reaction, 555
Precipitinogen and precipitins, relation to appearance of serum sickness, 79
Precipitins and precipitinogen, relation to appearance of serum sickness, 79
Protein, plasma, normal concentration maintained in spite of repeated protein loss by bleeding, 683
—, repeated loss by bleeding, maintenance of normal plasma protein concentration in spite of, 683
—, synthesis of *p*-aminophenol α-glucoside and coupling with, 761
Proteins combined with α-glucoside of glucose, immunological specificity, 769
— — — β-glucoside of glucose, immunological specificity, 769
Proteins, conjugated carbohydrate-, chemoimmunological studies, 761, 769
Psittacosis, virus disease of parrots and parrakeets differing from, 911

REACTION, Wassermann, positive, in normal rabbits, 667
Renal. *See* Kidney.
Respiration, oxygen, without forced breathing, as means of determination of lung volume, 361
Respiratory disease, upper, in infants, and pathogenic bacteria, relationship, 735
Rheumatic fever, cytology, 745
— granuloma, characteristic cell, 745
Rickettsia, typhus fever, cultivation in presence of living tissue, 563

SCURVY, anemia, 971
—, effect of vitamin C diet on blood formation, 971
Serological specificity of peptides, 781
Serology, syphilis, 667
Serum amylase concentration, influence of ligation of pancreatic ducts, 505
—, antitesticular, effect on enhancement value of testicle extract, 703
—, immune, and virus fixed for mice, vaccination against yellow fever, 945
—, normal, swine, antipneumococcus properties, 877
— sickness, 79
Sinusitis in man, association with pneumococci, *Haemophilus influenzae*, and *Streptococcus haemolyticus*, 445
Skin reactivity, local, to bacterial filtrates, acquired active immunity to, 889

Skin reactivity, local, to bacterial filtrates, spontaneous immunity to, 889
—, Type III pneumococcus infection, action of specific enzyme, 393
— vessels, gradient of permeability as influenced by cold, 431
— —, — — permeability as influenced by heat, 431
— —, — — permeability as influenced by light, 431
Specific agglutination of Pneumococcus Type I, 191
— — — — Type II, 191
— — — — Type III, 191
— antibody response of human subjects to intracutaneous injection of pneumococcus products, 853
— carbohydrate, purified, of pneumococcus, and anticarbohydrate antibody, reaction between, 511
— enzyme action upon dermal infection with Type III pneumococcus, 393
— — in cultures of bacillus decomposing capsular polysaccharide of Type III pneumococcus, factors affecting yield, 377
— polysaccharide of pneumococcus, small amounts determined by precipitin reaction, 555
— soluble substance of Pneumococcus Type I, fate when orally administered, 13
— — — — Pneumococcus Type II, fate when orally administered, 13
— — — — Pneumococcus Type III, fate when orally administered, 13
— — —, rôle in oral immunization against Pneumococcus Type II, 1
— — —, — in oral immunization against Pneumococcus Type III, 1
Specific, type-, agglutinin and precipitin reactions, pneumococcus, identity of mechanisms, 55
—, —, pneumococci, R forms transformed *in vitro* into S forms of different specific types by use of filtered pneumococcus extracts, 91
—, —, precipitin and agglutinin reactions, pneumococcus, identity of mechanisms, 55
—, —, products of pneumococcus, reaction with anticarbohydrate antibody, 519
Specificity, immunological, of antigens prepared by combining α-glucoside of glucose with proteins, 769
—, —, — — prepared by combining β-glucoside of glucose with proteins, 769
—, serological, of peptides, 781
Spleen, conservation of pigment after hemoglobin injections, 637
Streptococcal hemolysin, antigenic, 267
Streptococci, comparative sensitizing effect of intracutaneous and intravenous inocula in minute doses, 591
Streptococcus haemolyticus, association with coryza, pharyngitis, and sinusitis in man, 445
— and pneumococcus, hypersensitiveness, interrelationships, 867
Submaxillary gland. *See* Gland.
Suprarenalectomy, bilateral, effect on acquired resistance to *Bartonella muris* anemia, 109
—, —, — — natural resistance to *Bartonella muris* anemia, 109
Swine serum, normal, antipneumococcus properties, 877
Syphilis, serology, 667

TEMPERATURE, ice box, survival of agent transmitting fowl leucosis, 495
—, incubator, survival of agent transmitting fowl leucosis, 495
Testicle extract, effect of antitesticular serum on enhancement value, 703
— —, — on growth of transplantable mouse tumors, 455
Therapeutic antisera against types of pneumococci formerly included in Group IV, 531
Therapy, specific, in influenzal meningitis, 223
—, Type I pneumococcus antisera, value of intramuscular dosage, 925
Thyroid administration, basal metabolism varied by, relation of heart weight, 903
Tissue lipoids, antibodies to, induced in normal rabbits, 667
—, living, cultivation of typhus fever rickettsia in presence, 563
Tissues, blood-free, iron content, 653
Tolerance, mercury poisoning, increased by frequent hemoglobin injections, 627
—, urea, after unilateral nephrectomy, 27
Toxin-antitoxin reaction without neutralization, 181
Toxoid, diphtheria, purification and concentration, 815
Transmission, brain to brain, of submaxillary gland virus in young guinea pigs, 405
Transudation, hydrostatic, blood vessels involved, 417
Tuberculosis bacillus, living, fate in organs of tuberculous rabbits, correlation with histological changes, 31
Tuberculosis, fate of living tubercle bacilli in organs, correlation with histological changes, 31
—, survival time after injection with ferric chloride, 101
Tuberculous areas, accumulation of iron, 101
Tumor, chicken, properties of causative agent, 441
Tumor-producing agent, inactivation by monochromatic ultraviolet light, 441
Tumors, produced by filtrable viruses, and typical transplantable tumors, comparison of reducing power, 829
—, transplantable, mouse, effect of testicle extract on growth, 455
—, typical transplantable, and tumors produced by filtrable viruses, comparison of reducing power, 829
Typhus, Mexican, multiplication of virus in fleas, 307
— rickettsia, cultivation in presence of live tissue, 563

ULTRAVIOLET light, monochromatic, inactivating tumor-producing agent, 441
Urea tolerance after unilateral nephrectomy, 27

VACCINATION, yellow fever, with immune serum and virus fixed for mice, 945
Vibrios from intestinal tract of gray rat, 939
Virulence and resistance of *Bacillus influenzae* from influenzal meningitis, 235
Virus disease of parrots and parrakeets differing from psittacosis, 911
— fixed for mice, and immune serum, vaccination against yellow fever, 945

Virus, Mexican typhus fever, multiplication in fleas, 307
—, submaxillary gland, brain to brain transmission in young guinea pigs, 405
Viruses, filtrable, tumors produced by, and typical transplantable tumors, comparison of reducing power, 829
Viscera, blood-free, iron content, 653
Vitamin C diet, effect on blood formation in scurvy, 971

WASSERMANN reaction, positive, in normal rabbits, 667
Wound, healing, age factor in velocity of growth of fibroblasts, 577

YELLOW fever, vaccination with immune serum and virus fixed for mice, 945